

# SDS – SAFETY DATA SHEET

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## AMMONIUM HYDROXIDE 30%

Version 3.2 Revision Date: 09/12/2022

### 1. Identification

**Product Identifier:** AMMONIUM HYDROXIDE (10 - 35% NH<sub>3</sub>)

**Synonyms:** Ammonium Hydroxide Solutions, Ammonia Aqueous, Ammonia Solutions

**Chemical Formula:** NH<sub>4</sub>OH in H<sub>2</sub>O

**Recommended Use of the Chemical and Restrictions On Use:** Laboratory Reagent

**Manufacturer / Supplier:** Alliance Chemical, 204 S. Edmond St., Taylor, Texas 76574, **Phone:** 512-365-6838

**Emergency Phone Number:** 24-Hour CHEMTEL Emergency Telephone 800-255-3924

### 2. Hazard(s) Identification

**Classification of the Substance or Mixture:**

Acute toxicity, Oral (Category 3)

Skin corrosion (Category 1A)

Serious eye damage (Category 1)

Acute aquatic toxicity (Category 1)

**Risk Phrases:**

Symbols: C, N

R34: Causes burns.

R50: Very toxic to aquatic organisms.

**Label Elements:**

**Trade Name:** AMMONIUM HYDROXIDE (10 - 35% NH<sub>3</sub>)

**Signal Word:** Danger



**Hazard Statements:**

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H400: Very toxic to aquatic life.

**Precautionary Statements:**

P273: Avoid release to the environment.

P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor / physician.

### 3. Composition / Information on Ingredients

**CAS Number:** 1336-21-6**EC Number:** 215-647-6**Index Number:** 007-001-01-2**Molecular Weight:** 35.05 g/mol

Ingredient	CAS No.	EC Number	Percent	Hazardous	Chemical Characterization
Ammonium Hydroxide	1336-21-6	215-647-6	30%	Yes	Substance
Water	7732-18-5	231-791-2	70%	No	Mixture

Contains between 10 and 35% ammonia.

### 4. First-aid Measures

In all cases, CALL A PHYSICIAN IMMEDIATELY.

**Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give Oxygen.**Ingestion:** DO NOT INDUCE VOMITING! Give large quantities of water. Never give anything by mouth to an unconscious person.**Skin Contact:** In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.**Eye Contact:** IMMEDIATE ACTION IS ESSENTIAL FOR EYE EXPOSURES. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.

### 5. Fire-fighting Measures

**Fire:** Not considered to be a fire hazard. At fire temperatures, Fire may produce irritating, corrosive and / or toxic gases.**Explosion:** Flammable vapors may accumulate in confined spaces.**Fire Extinguishing Media:** Use any means suitable for extinguishing surrounding fire. Water spray may be used to keep fire exposed containers cool. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.**Special Information:** In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode.

### 6. Accidental Release Measures

**Personal Precautions, Protective Equipment and Emergency Procedures:** Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Isolate hazard area. Keep unnecessary and unprotected personnel from entering.

**Environmental Precautions and Methods and Materials for Containment and Cleaning Up:** Contain and recover liquid when possible. Do not let product enter drains. Do not flush caustic residues to the sewer. Residues from spills can be diluted with water, neutralized with dilute acid such as Acetic, Hydrochloric or Sulfuric. Absorb neutralized caustic residue on clay, vermiculite or other inert substance and package in a suitable container for disposal. US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is(800) 424-8802.

## 7. Handling and Storage

**Precautions for Safe Handling and Conditions for Safe Storage, Including Any Incompatibilities:** Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Separate from incompatibilities. Store below 25C. Protect from direct sunlight. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid.) Observe all warnings and precautions listed for the product.

## 8. Exposure Controls / Personal Protection

**Airborne Exposure Limits:**

OSHA Permissible Exposure Limit (PEL): 50 ppm (NH<sub>3</sub>)

ACGIH Threshold Limit Value (TLV): 25 ppm (NH<sub>3</sub>) (TWA) 35 ppm (STEL)

**Ventilation System:** A system of local and / or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

**Personal Respirators (NIOSH Approved):** If the exposure limit is exceeded and engineering controls are not feasible, a full face piece respirator with an ammonia/methylamine cartridge may be worn up to 50 times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. For emergencies or instances where the exposure levels are not known, use a full face piece positive-pressure, air-supplied respirator. WARNING: Air purifying respirators do not protect workers in Oxygen-deficient atmospheres.

**Skin Protection:** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Neoprene and nitrile rubber are recommended materials. Polyvinyl alcohol is not recommended.

**Eye Protection:** Use chemical safety goggles and / or full face shield where dusting or splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area.

## 9. Physical and Chemical Properties

**Appearance:** Clear, colorless solution

**Odor:** Ammonia odor

**Odor Threshold:** Not determined

**pH:** 13.8 (29% solution)

**% Volatiles by volume @ 21C (70F):** No information found

**Melting Point:** -72C (-98F)

**Boiling Point / Boiling Range:** ca. 36C (ca. 97F)

**Flash Point:** Not applicable

**Evaporation Rate (BuAc=1):** No information found

**Flammability:** Not applicable

**Upper / Lower Flammability or Explosive Limits:** Not applicable

**Vapor Pressure (mm Hg):** 115 @ 20C (68F) for 10% solution; 580 @ 20C (68F) for 28% solution

**Vapor Density (Air=1):** 0.60 NH<sub>3</sub>

**Relative Density:** 0.9 g/mL at 25C (77F)

**Solubility:** Infinitely soluble  
**Partition Coefficient: n-octanol / water:** No data available  
**Auto-ignition Temperature:** No data available  
**Decomposition Temperature:** No data available  
**Viscosity:** No data available

## 10. Stability and Reactivity

**Reactivity and / or Chemical Stability:** Stable under ordinary conditions of use and storage.

**Possibility of Hazardous Reactions and Conditions to Avoid:** Heat, sunlight, incompatibles, sources of ignition.

**Incompatible Materials:** Acids, Acrolein, Dimethyl Sulfate, halogens, Silver Nitrate, Propylene Oxide, Nitromethane, Silver Oxide, Silver Permanganate, Oleum, Beta-propiolactone. Most common metals.

**Hazardous Decomposition Products:** Burning may produce Ammonia, Nitrogen Oxides.

## 11. Toxicological Information

**Emergency Overview:** POISON! DANGER! CORROSIVE. MAY BE FATAL IF SWALLOWED OR INHALED. MIST AND VAPOR CAUSE BURNS TO EVERY AREA OF CONTACT.

### Potential Health Effects:

**Inhalation:** Vapors and mists cause irritation to the respiratory tract. Higher concentrations can cause burns, pulmonary edema and death. Brief exposure to 5000 ppm can be fatal.

**Ingestion:** Toxic! May cause corrosion to the esophagus and stomach with perforation and peritonitis. Symptoms may include pain in the mouth, chest, and abdomen, with coughing, vomiting and collapse. Ingestion of as little as 3-4 mL may be fatal.

**Skin Contact:** Causes irritation and burns to the skin.

**Eye Contact:** Vapors cause irritation. Splashes cause severe pain, eye damage, and permanent blindness. .

**Chronic Exposure:** Repeated exposure may cause damage to the tissues of the mucous membranes, upper respiratory tract, eyes and skin.

**Aggravation of Pre-existing Conditions:** Persons with pre-existing eye disorders or impaired respiratory function may be more susceptible to the effects of this material.

**Specific Target Organ Toxicity - Single Exposure (Globally Harmonized System:)** No data available.

**Specific Target Organ Toxicity - Repeated Exposure (Globally Harmonized System:)** No data available.

### Numerical Measures of Toxicity: Cancer Lists: NTP Carcinogen

Ingredient	Known	Anticipated	IARC Category
Ammonium Hydroxide (1336-21-6)	No	No	None
Water (7732-18-5)	No	No	None

### Acute Toxicity:

For Ammonium Hydroxide:

Oral rat LD50: 350 mg/kg; eye, rabbit, standard Draize, 250 ug; severe  
Investigated as a mutagen.

For Ammonia:

Inhalation rat LC50: 2000 ppm/4-hr  
Investigated as a tumorigen, mutagen.

## 12. Ecological Information

**Ecotoxicity:** Expected to be very toxic to aquatic life.

24 Hr LC50 rainbow trout: 0.008 mg/L

96 Hr LC50 fathead minnow: 8.2 mg/L

48 Hr LC50 bluegill: 0.024 mg/L

48 Hr EC50 water flea: 0.66 mg/L

**Persistence and Degradability:** Expected to be readily biodegradable.

**Bioaccumulative Potential:** This material is not expected to significantly bioaccumulate.

**Mobility in Soil:** This product is water soluble and will move readily in soil and water.

**Other adverse effects:** US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802.

## 13. Disposal Considerations

Very toxic to aquatic organisms. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.


Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Although not a listed RCRA hazardous waste, this material may exhibit one or more characteristics of a hazardous waste and require appropriate analysis to determine specific disposal requirements. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

## 14. Transport Information

**UN Number:** UN2672

**UN Proper Shipping Name:** AMMONIA SOLUTIONS (WITH 10-35% AMMONIA)

**Packing Group:** III



**Land Transport ADR/RID and GGVS/GGVE (Cross Border / Domestic)**

**Transport Hazard Class(es):** 8

**Maritime Transport IMDG/GGVSea**

**Transport Hazard Class(es):** 8

**Marine Pollutant:** No

**Air Transport ICAO-TI and IATA-DGR**

**Transport Hazard Class(es):** 8

**Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code**

**Special Precautions for User:** Warning: Corrosive Substances

## 15. Regulatory Information

### Chemical Inventory Status – Part 1

Ingredient	TSCA	EC	Japan	Australia
Ammonium Hydroxide (1336-21-6)	Yes	Yes	Yes	Yes
Water (7732-18-5)	Yes	Yes	Yes	Yes

### Chemical Inventory Status – Part 2

Ingredient	Korea	Canada		Phil.
		DSL	NDSL	
Ammonium Hydroxide (1336-21-6)	Yes	Yes	No	Yes
Water (7732-18-5)	Yes	Yes	No	Yes

### Federal, State & International Regulations - Part 1

Ingredient	SARA 302		SARA 313	
	RQ	TPQ	List Chemical	Catg.
Ammonium Hydroxide (1336-21-6)	No	No	No	No
Water (7732-18-5)	No	No	No	No

### Federal, State & International Regulations - Part 2

Ingredient	RCRA		TSCA
	CERCLA	261.33	8(d)
Ammonium Hydroxide (1336-21-6)	1000	No	No
Water (7732-18-5)	No	No	No

Chemical Weapons Convention: No		TSCA 12(b): No		CDTA: No	
SARA 311/312	Acute: Yes	Chronic: Yes	Fire: No	Pressure: No	
Reactivity: No		Mixture / Liquid			

Australian Hazchem Code: 2P

Poison Schedule: S6

## 16. Other Information

### INCLUDING INFORMATION ON PREPARATION AND REVISION OF THE SDS

#### Disclaimer

ALLIANCE CHEMICAL believes that the information on this SDS was obtained from reliable sources. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, ALLIANCE CHEMICAL does not assume responsibility and expressly disclaims liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable. Information is correct to the best of our knowledge at the date of the SDS publication.