

# SAFETY DATA SHEET



Version            Revision Date:  
2.2                11/11/2023  
PRD

Date of last issue: 11/08/2023  
Date of first issue:  
09/06/2016

## SECTION 1. IDENTIFICATION

Product name        :    n-Butanol

### Manufacturer or supplier's details

Company name of supplier    :    Alliance Chemical  
  
Address                         :    204 South Edmond St  
   Taylor, Texas, 76574  
Telephone                       :    512-365-6838  
Emergency telephone         :    CHEMTEL- 1-800-255-3924(USA)  
   +1-813-248-0585 (International)

### Recommended use of the chemical and restrictions on use

Recommended use             :    Solvent  
  
Restrictions on use           :    None known.

## SECTION 2. HAZARDS IDENTIFICATION

### GHS classification in accordance with 29 CFR 1910.1200

Flammable liquids             :    Category 3  
  
Acute toxicity (Oral)         :    Category 4  
  
Skin irritation                 :    Category 2  
  
Serious eye damage         :    Category 1  
  
Specific target organ toxicity :    Category 3 (Respiratory system, Central nervous system)  
- single exposure

### GHS label elements

Hazard pictograms            :    

Signal Word                 :    Danger

Hazard Statements            :    H226 Flammable liquid and vapor.  
   H302 Harmful if swallowed.  
   H315 Causes skin irritation.  
   H318 Causes serious eye damage.

# SAFETY DATA SHEET

## n-Butanol

Version	Revision Date:	SDS Number:	Date of last issue: 11/08/2023
2.2	11/11/2023	150000000115	Date of first issue:
PRD		SDSUS / Z8 / 0001	09/06/2016

---

H335 May cause respiratory irritation.  
H336 May cause drowsiness or dizziness.

Precautionary Statements :

**Prevention:**

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ eye protection/ face protection.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance



# SAFETY DATA SHEET

## n-Butanol

Version            Revision Date:            SDS Number:            Date of last issue: 11/08/2023  
2.2                11/11/2023                150000000115            Date of first issue:  
PRD                                               SDSUS / Z8 / 0001            09/06/2016

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Wear appropriate personal protective equipment. Local authorities should be advised if significant spillages cannot be contained.
- Environmental precautions : Avoid release to the environment.
- Methods and materials for containment and cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Prevent runoff from entering drains, sewers, or streams.
- 

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Vapors may form explosive mixtures with air.
- Advice on safe handling : Keep away from fire, sparks and heated surfaces. Do not get in eyes. Avoid contact with skin. Use only with adequate ventilation. Wash thoroughly after handling.
- Conditions for safe storage : Keep container tightly closed and in a well-ventilated place.
- 

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1-butanol	71-36-3	TWA	20 ppm	ACGIH
		C	50 ppm 150 mg/m <sup>3</sup>	NIOSH REL
		TWA	100 ppm 300 mg/m <sup>3</sup>	OSHA Z-1
		C	50 ppm 150 mg/m <sup>3</sup>	OSHA P0

**Engineering measures** : Ensure adequate ventilation.

#### Personal protective equipment

Respiratory protection : If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Hand protection

# SAFETY DATA SHEET

## n-Butanol

Version	Revision Date:	SDS Number:	Date of last issue: 11/08/2023
2.2	11/11/2023	15000000115	Date of first issue:
PRD		SDSUS / Z8 / 0001	09/06/2016

---

Remarks	: Wear protective gloves.
Eye protection	: Safety glasses with side-shields conforming to EN166
Protective measures	: Ensure that eye flushing systems and safety showers are located close to the working place.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: colorless
Odor	: alcohol-like
Odor Threshold	: 0.83 ppm
pH	: not determined
Melting point/freezing point	: -128 °F / -89 °C
Boiling point/boiling range	: 244 °F / 118 °C
Flash point	: 97 °F / 36 °C
	Method: Tag closed cup
Evaporation rate	: 0.5
Self-ignition	: 649 °F / 343 °C
Upper explosion limit / Upper flammability limit	: 11.3 %(V)
Lower explosion limit / Lower flammability limit	: 1.5 %(V)
Vapor pressure	: 7.3 hPa
Relative vapor density	: 2.6
Relative density	: 0.81 (77 °F / 25 °C)
Solubility(ies)	
Water solubility	: Moderate

# SAFETY DATA SHEET

## n-Butanol

Version	Revision Date:	SDS Number:	Date of last issue: 11/08/2023
2.2	11/11/2023	15000000115	Date of first issue:
PRD		SDSUS / Z8 / 0001	09/06/2016

---

Partition coefficient: n-octanol/water	:	Pow: 7.6 log Pow: 0.88
Autoignition temperature	:	not determined
Decomposition temperature	:	Method: DTA No exotherm to boiling
Viscosity		
Viscosity, dynamic	:	3 mPa.s (68 °F / 20 °C)
Viscosity, kinematic	:	not determined
Explosive properties	:	No data available
Oxidizing properties	:	No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	None known. Stable
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	Carbon monoxide Carbon dioxide (CO <sub>2</sub> )

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### **Acute toxicity**

Harmful if swallowed.

#### **Product:**

Acute oral toxicity	:	Remarks: No data available
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available

#### **Components:**

##### **1-butanol:**

Acute oral toxicity	:	LD50 Oral (Rat): 790 mg/kg
---------------------	---	----------------------------



# SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 11/08/2023
2.2	11/11/2023	15000000115	Date of first issue:
PRD		SDSUS / Z8 / 0001	09/06/2016

---

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

## **Reproductive toxicity**

Not classified based on available information.

### **Product:**

Effects on fertility : Remarks: No data available

## **STOT-single exposure**

May cause respiratory irritation.  
May cause drowsiness or dizziness.

### **Product:**

Remarks : No data available

## **STOT-repeated exposure**

Not classified based on available information.

### **Product:**

Remarks : No data available

## **Aspiration toxicity**

Not classified based on available information.

### **Product:**

No data available

## **Information on likely routes of exposure**

### **Product:**

Inhalation : Remarks: May cause respiratory irritation.  
May cause drowsiness or dizziness.

Skin contact : Remarks: Causes skin irritation.

Eye contact : Remarks: Causes serious eye damage.

Ingestion : Remarks: Harmful if swallowed.



# SAFETY DATA SHEET

Version  
2.2  
PRD

Revision Date:  
11/11/2023

SDS Number:  
15000000115  
SDSUS / Z8 / 0001

Date of last issue: 11/08/2023  
Date of first issue:  
09/06/2016

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### 1-butanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1,376 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : LC50 (Daphnia magna (Water flea)): 1,328 mg/l  
aquatic invertebrates Exposure time: 48 h

### Persistence and degradability

#### Components:

##### 1-butanol:

Biochemical Oxygen De- : BOD-5:  
mand (BOD) 1,710 mg/g

BOD-20:  
1,890 mg/g

Chemical Oxygen Demand : 2,460 mg/g  
(COD)

### Bioaccumulative potential

#### Components:

##### 1-butanol:

Partition coefficient: n- : Pow: 7.6  
octanol/water log Pow: 0.88

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

# SAFETY DATA SHEET

Version      Revision Date:      SDS Number:      Date of last issue: 11/08/2023  
2.2          11/11/2023          150000000115      Date of first issue:  
PRD                              SDSUS / Z8 / 0001                              09/06/2016

---

## IATA-DGR

UN/ID No.                              : UN 1120  
Proper shipping name                : Butanols  
Class                                    : 3  
Packing group                        : III  
Labels                                 : Class 3 - Flammable liquids  
Packing instruction (cargo         : 366  
aircraft)  
Packing instruction (passen-       : 355  
ger aircraft)

## IMDG-Code

UN number                            : UN 1120  
Proper shipping name                : BUTANOLS  
  
Class                                    : 3  
Packing group                        : III  
Labels                                 : 3  
EmS Code                              : F-E, S-D  
Marine pollutant                      : no

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## Domestic regulation

### 49 CFR

UN/ID/NA number                    : UN 1120  
Proper shipping name                : Butanols  
  
Class                                    : 3  
Packing group                        : III  
Labels                                 : Class 3 - Flammable liquids  
ERG Code                              : 129  
Marine pollutant                      : no

## Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
1-butanol	71-36-3	5000	5000

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

# SAFETY DATA SHEET

Version  
2.2  
PRD

Revision Date:  
11/11/2023

SDS Number:  
15000000115  
SDSUS / Z8 / 0001

Date of last issue: 11/08/2023  
Date of first issue:  
09/06/2016

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)
------------	---------	---------------------

**SARA 311/312 Hazards** : Fire Hazard  
Acute Health Hazard

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

1-butanol                      71-36-3

## California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

## The ingredients of this product are reported in the following inventories:

- TSCA : All substances listed as active on the TSCA inventory
- DSL : All components of this product are on the Canadian DSL
- AICS : On the inventory, or in compliance with the inventory
- ENCS : On the inventory, or in compliance with the inventory
- ISHL : On the inventory, or in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory

## TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

# SAFETY DATA SHEET

Version  
2.2  
PRD

Revision Date:  
11/11/2023


SDS Number:  
15000000115  
SDSUS / Z8 / 0001

Date of last issue: 11/08/2023  
Date of first issue:  
09/06/2016

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



#### HMIS® IV:

HEALTH	/	3
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA P0 / C	:	Ceiling limit
OSHA Z-1 / TWA	:	8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable

# SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue:
2.2	11/11/2023	150000000115	11/08/2023
PRD		SDSUS / Z8 / 0001	Date of first issue: 09/06/2016

---

Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 11/11/2019

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8