ALLIANCE CHEMICAL

SAFETY DATA SHEET

This SDS is valid for all grades

1. Identification

SDA 3-C 190 Proof (Denatured Alcohol 190 Proof, 3C) **Product Name:**

SDS Date: 05/15/2022 Industrial Use:

Alliance Chemical 204 S. Edmond St. Taylor, Texas 76574 www.alliancechemical.com

General Information: 512-365-6838

In Case of Emergency Call: CHEMTEL - 800-255-3924 (24 Hours/Day, 7 Days/Week)

2. Hazard(s) identification

GHSClassification

Flammable liquids (Category 2) Serious eye damage/eye irritation (Category 2A)

Pictogram



Signalword Danger

HazardStatement

Highly flammable liquid and vapor. Causes serious eye irritation.

Precautionary

Highly flammable liquid and vapor. Causes serious eye irritation. Prevention Keep away from heat, sparks, open flames, hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof electrical/ventilating/lighting/equipment. Use only non sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Wear protective gloves/ eye protection/ face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use dry sand, dry chemical, or alcohol resistant foam for extinction. Store in a well-ventilated place. Keep cool. Dispose of contents/ container in accordance with local/regional/national/international regulations.

Dispose of contents/container in accordance with local/ state/ and federal regulations.

Hazards not otherwise classified: Not available

3. Composition/information on ingredients

Name	CAS	Concentration
Isopropyl Alcohol	67-63-0	1-20
Ethanol	64-17-5	90-100

4. First-aid measures

General Advice	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.	
If Inhaled	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.	
In Case of Skin Contact	Wash off with soap and plenty of water. Consult a physician.	
In Case of Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.	
If Swallowed	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.	

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indications of any immediate medical attention and special treatment needed

No data available

5. Fire-fighting measures

Extinguishing Media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
Special Hazards	Carbon oxides	
Advice for firefighters	dvice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.	
Further Information	Use water spray to cool unopened containers.	

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations.

7. Handling and storage

Safe Handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of

electrostatic charge.

Safe Storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Hygroscopic

8. Exposure controls/personal protection

Name		CAS	5
Isopropyl Alcohol		67-	63-0
OSHA TWA	OSHA STEL	ACGIH TWA	ACGIH STEL
400 ppm	Not Available	200 ppm	400 ppm
Ethanol		64-	17-5
OSHA TWA	OSHA STEL	ACGIH TWA	ACGIH STEL
1000 ppm	Not Available	1000 ppm	Not Available

Engineering Control

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Eye/Face Protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin Protection

Handle with butyl rubber gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory Protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of Environmental Exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. Physical and chemical properties

Appe	arance	Ethanol		Colorless, clear liquid
Odor	dor Ethanol			No data available
Odor	Thresho	l d Ethano		No data available
рН	Ethanol			No data available
Melting/Freezing Point Ethanol		Ethanol	-143.99C (-227.18F)	

Initial Boiling Point/Range Ethanol	78.0 - 80.0 °C (172.4 - 176.0 °F)	
Flash Point Ethanol	14.0 °C (57.2 °F) - closed cup	
Evaporation Rate Ethanol	No data available	
Flammability Ethanol	No data available	
Upper Explosion Limit Ethanol	19%	
Lower Explosion Limit Ethanol	3.3%	
Vapor Pressure Ethanol	59.5 hPa (44.6 mmHg) at 20.0 °C (68.0 °F)	
Vapor Density Ethanol	No data available	
Relative Density Ethanol	0.7974 g/cm3	
Water Solubility Ethanol	completely soluble	
Partition Coefficient Ethanol	No data available	
Auto Ignition Temperature Ethanol	363.0 °C (685.4 °F)	
Decomposition Temperature Ethanol	No data available	
Viscosity Ethanol	No data available	

10. Stability and reactivity

Reactivity No data available

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Vapors may form explosive mixture with air.

Conditions to Avoid Heat, flames and sparks. Extremes of temperature and direct sunlight.

Incompatible materials Alkali metals, Oxidizing agents, Peroxides

Hazardous Decomposition Products No data available

11. Toxicological information

Name CAS

Isopropyl Alcohol 67-63-0

LD50 Oral - Rat - 5,045 mg/kg

LC50 Inhalation - Rat - 8 h - 16000 ppm

LD50 Dermal - Rabbit - 12,800 mg/kg

Skin corrosion/irritation Result: Mild skin irritation

Serious eye damage/eye irritation Result: Eye irritation - 24 h

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Propanol)

Reproductive No data available

Additional information Central nervous system depression, prolonged or repeated exposure can

cause:, Nausea, Headache, Vomiting,

narcosis, Drowsiness, Overexposure may cause mild, reversible liver effects.,

Aspiration may lead to:, Lung oedema,

Pneumonia

Name CAS Ethanol 64-17-5

LD50 Oral - Rat - 2,743 mg/kg Inhalation: No data available

LD50 Dermal - Rabbit - > 2,000 mg/kg

Skin corrosion/irritation Result: Mild skin irritation - 24 h

Serious eye damage/eye irritation Result: Irritating to eyes. - 24 h

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity Not identified as probable, possible or confirmed human carcinogen by IARC, NTP,

or OSHA

Reproductive No data available

Additional information drying, cracking of the skin, Skin irritation

Liver - Irregularities

12. Ecological information

Name	CAS	Toxicity
Isopropyl Alcohol	67-63-0	LC50 - Pimephales promelas (fathead minnow) - 9,640.00 mg/l - 96 h, EC50 - Daphnia magna (Water flea) - 5,102.00 mg/l - 24 h, Immobilization EC50 - Daphnia magna (Water flea) - 6,851 mg/l - 24 h, Toxicity to algae EC50 - Desmodesmus subspicatus (green algae) - > 2,000.00 mg/l - 72 h, EC50 - Algae - > 1,000.00 mg/l - 24 h
Ethanol	64-17-5	Not Available

13. Disposal considerations

Dispose of contents/container in accordance with local/regional/national/international regulations.

14. Transport information

Proper Shipping Name Alcohols, n.o.s.

Hazard Class 3

Identification Number UN1987

Packing Group

Label Flammable

15. Regulatory information

Name CAS

Isopropyl Alcohol 67-63-0

SARA 302/304 No components were identified
SARA 313 No components were identified
CERCLA No components were identified

SARA 311/312 Fire Hazard, Acute Health Hazard, Chronic Health Hazard

PROP 65 No components were identified

This product and/or its components are listed on the Toxic Substances Control Act (TSCA) inventory.

Name CAS

Ethanol 64-17-5

SARA 302/304 No components were identified

SARA 313 No components were identified

CERCLA No components were identified

SARA 311/312 Fire Hazard, Chronic Health Hazard

PROP 65 No components were identified

This product and/or its components are listed on the Toxic Substances Control Act (TSCA) inventory.

16. Other information, including date of preparation or last revision

SDS Date: 05/15/2022

Disclaimer: ALLIANCE CHEMICAL believes that the information on this SDS was obtained from reliable sources. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, ALLIANCE CHEMICAL does not assume responsibility and expressly disclaims liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable. Information is correct to the best of our knowledge at the date of the SDS publication.