

PRODUCT IDENTIFICATION



Product Name: Ammonium Hydroxide 29% Technical Grade

CAS Number: 1336-21-6

Molecular Formula: H_5NO

Molecular Weight: 35.046 g/mol

Grade: Technical Grade

Purity / Concentration: 29%

Synonyms: Aqueous Ammonia, Ammonia Solution

PRODUCT OVERVIEW

Ammonium Hydroxide 29% Technical Grade is a high-purity aqueous ammonia solution characterized by a precise 29.5% assay and minimal residue levels. This clear, colorless liquid is a versatile chemical reagent widely utilized for pH adjustment and industrial synthesis applications.

Grade Significance: Technical Grade indicates that this product meets standard industrial specifications for purity and consistency, ensuring reliable performance for general chemical applications.

CERTIFICATE OF ANALYSIS — TYPICAL VALUES

PARAMETER	UNIT	TYPICAL	MIN	MAX	TEST METHOD
Assay (wt%)	%	29.5	28	30	Titration with standardized HCl
Color (APHA)	APHA	3	—	5	APHA/Hazen visual comparison
Specific Gravity (20°C)	g/mL	0.899	0.895	0.905	Hydrometer or pycnometer at 20°C
Residue After Ignition	%	0.0050	—	0.01	Gravimetric after ignition
Water Content	%	0.05	—	0.1	Karl Fischer titration
Aluminum (Al)	ppm	0.1	—	0.5	ICP-OES
Arsenic (As)	ppm	0.0050	—	0.01	ICP-MS
Calcium (Ca)	ppm	0.15	—	0.5	ICP-OES
Chromium (Cr)	ppm	0.02	—	0.1	ICP-OES
Cobalt (Co)	ppm	0.01	—	0.05	ICP-OES
Copper (Cu)	ppm	0.02	—	0.1	ICP-OES
Heavy Metals (as Pb)	ppm	0.01	—	0.05	ICP-MS
Iron (Fe)	ppm	0.05	—	0.2	ICP-OES
Lead (Pb)	ppm	0.01	—	0.05	ICP-MS
Magnesium (Mg)	ppm	0.15	—	0.5	ICP-OES
Manganese (Mn)	ppm	0.02	—	0.1	ICP-OES
Nickel (Ni)	ppm	0.01	—	0.05	ICP-OES
Potassium (K)	ppm	0.15	—	0.5	ICP-OES
Sodium (Na)	ppm	0.15	—	0.5	ICP-OES
Zinc (Zn)	ppm	0.05	—	0.2	ICP-OES
Ammonium (NH ₄ ⁺)	ppm	0.1	—	0.5	Ion Chromatography (IC)
Chloride (Cl ⁻)	ppm	1	—	2	Ion Chromatography (IC) or ion-selective electrode
Nitrate (NO ₃ ⁻)	ppm	5	—	10	Ion Chromatography (IC)
Phosphate (PO ₄ ³⁻)	ppm	1	—	2	Ion Chromatography (IC)
Sulfate (SO ₄ ²⁻)	ppm	2	—	5	Ion Chromatography (IC)

ND = Not Detected. Values are typical and may vary by lot.

PHYSICAL & CHEMICAL PROPERTIES

Appearance	Clear, colorless liquid	Odor	Strong ammonia odor
Form	Liquid	Boiling Point	Not characterized for the 29% solution
Melting / Freezing Point	Not characterized for the 29% solution	Flash Point	11°C (52°F)
Specific Gravity	0.9	Solubility	Soluble in water
Molecular Formula	H ₅ NO	Molecular Weight	35.046 g/mol
Vapor Pressure (20°C)	33 mmHg	Viscosity (25°C)	0.89 cP
Refractive Index (20°C)	1.333	Density (25°C)	0.897 g/mL
Partition Coefficient (log P)	-1.38	Decomposition Temp.	Not decomposing up to 100°C

APPLICATIONS

1. **Water Treatment** — Used as a reliable agent for precise pH adjustment in municipal and industrial water treatment processes.
2. **Industrial Cleaning** — Acts as a powerful degreasing agent, effectively removing stubborn grime and oils from various industrial surfaces.
3. **Chemical Manufacturing** — Serves as an essential reagent in the complex synthesis of various nitrogen-based chemical compounds.
4. **Agriculture** — Utilized in the production of nitrogen-based fertilizers to support efficient crop nutrition.

STORAGE & HANDLING

Proper storage is critical because Ammonium Hydroxide is corrosive to many metals and poses severe skin and eye burn risks. It should be stored in a cool, well-ventilated area to prevent pressure buildup and exposure to incompatible materials that could trigger hazardous reactions.

- Store in a cool, well-ventilated area away from incompatible materials.
- Use containers made of HDPE or glass to prevent reactions.
- Avoid exposure to light and heat to maintain stability.
- Wear appropriate personal protective equipment (PPE) including gloves and goggles.
- Ensure adequate ventilation when handling to minimize inhalation risks.

AVAILABLE PACKAGING

- 1 Quart
- 1 Gallon
- 5 Gallon
- 15 Gallon
- 55 Gallon
- 275 Gallon
- 330 Gallon

SAFETY SUMMARY (CROSS-REFERENCE TO SDS)

Signal Word: Danger



Hazard Statements:

- H290: May be corrosive to metals
- H302: Harmful if swallowed
- H314: Causes severe skin burns and eye damage
- H335: May cause respiratory irritation
- H400: Very toxic to aquatic life

Emergency Contact: CHEMTEL - 800-255-3924 (24 Hours/Day, 7 Days/Week)

For complete safety information, refer to the Safety Data Sheet (SDS) for this product.

Alliance Chemical | 204 South Edmond St, Taylor, Texas 76574 | 512-365-6838 | www.alliancechemical.com

Disclaimer: The information contained herein is believed to be accurate and represents the best information currently available to us. However, Alliance Chemical makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.