

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Drain Hammer - Sulfuric Acid Drain Cleaner
Synonyms: Oil of Vitriol, Battery Acid, sulfuric acid
CAS Number: 7664-93-9
Grade/Purity: Technical
Product Type: Acids
Product Use: Industrial, Manufacturing or Laboratory use
Manufacturer/Supplier: Alliance Chemical, 204 South Edmond St, Taylor, Texas 76574
Information: 512-365-6838 | www.alliancechemical.com
Emergency: CHEMTEL - 800-255-3924 (24 Hours/Day, 7 Days/Week)

2. HAZARDS IDENTIFICATION

Signal Word: Danger

GHS Pictograms:



Hazard Statements:

H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage

Precautionary Statements:

P234	Keep only in original packaging.
P260	Do not breathe dust, fume, gas, mist, vapours or spray.
P264	Wash hands and face thoroughly after handling.
P280	Wear protective gloves, protective clothing, and eye/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor.
P321	Specific treatment (see first-aid information on this label).
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents and container in accordance with local, regional, national, and international regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENT	% MIN	% MAX	CAS #	EINECS# / ELINCS#	FORMULA	MOLECULAR WEIGHT
Sulfuric Acid	93	93	7664-93-9	231-939-5	H ₂ SO ₄	98.08 g/mol

Water	Balance	7732-18-5	231-791-2	H ₂ O	18.02 g/mol
-------	---------	-----------	-----------	------------------	-------------

4. FIRST-AID MEASURES

Eyes	Signs and Symptoms of Acute Sulfuric Acid Exposure: Signs and symptoms of acute ingestion of sulfuric acid may be severe and include salivation, intense thirst, difficulty in swallowing, pain, and shock. Oral, esophageal, and stomach burns are common. Vomitus generally has a coffee-ground appearance. The potential for circulatory collapse is high following ingestion of sulfuric acid. Acute inhalation exposure may result in sneezing, hoarseness, choking, laryngitis, dyspnea (shortness of breath), respiratory tract irritation, and chest pain. Bleeding of nose and gums, ulceration of the nasal and oral mucosa, pulmonary edema, chronic bronchitis, and pneumonia may also occur. If the eyes have come in contact with sulfuric acid, irritation, pain, swelling, corneal erosion, and blindness may result. Dermal exposure may result in severe burns, pain, and dermatitis (red, inflamed skin).
Skin	5. Wash exposed skin areas THOROUGHLY with soap and water.
Inhalation	Inhalation Exposure:
Ingestion	Ingestion Exposure:

5. FIRE-FIGHTING MEASURES

Suitable Media	Dry chemical, CO ₂ , water spray. Use water spray to cool containers.
Unsuitable Media	Do not use a solid water stream as it may scatter and spread fire.
Protective Equipment	Wear self-contained breathing apparatus and full protective clothing.
Combustion Products	May include carbon oxides and other toxic fumes. See Section 10.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Use PPE as described in Section 8. Ensure adequate ventilation. Evacuate personnel to safe areas.
Environmental	Prevent leakage or spillage from entering drains, sewers, or waterways.
Containment & Cleanup	Absorb with inert material. Collect in appropriate waste container. Dispose per applicable regulations.

7. HANDLING AND STORAGE

Safe Handling	Use with adequate ventilation. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. Keep container closed when not in use.
Safe Storage	Store in a cool, dry, well-ventilated area. Use corrosion-resistant containers. Keep away from incompatible materials (see Section 10). Keep containers tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Use adequate ventilation. Provide eyewash stations and quick-drench showers accessible to areas of use.

Occupational Exposure Limits:

AGENCY	EXPOSURE LIMIT
OSHA PEL	1 mg/m ³ TWA
NIOSH REL	1 mg/m ³ TWA
IDLH	15 mg/m ³

Eyes	Wear chemical safety goggles or face shield.
Skin	Wear chemical-resistant gloves and protective clothing.
Inhalation	For mist or aerosol applications (e.g., spray, atomization, pressure washing), use a NIOSH-approved half-face air-purifying respirator with combination acid gas / P100 cartridges. For dust exposure, an N95 or P100 particulate filter is acceptable. Ensure local exhaust ventilation.

Exposure limits sourced from NIOSH Pocket Guide and OSHA 29 CFR 1910.1000. Hazard classification from ECHA Classification and Labelling Inventory (CLP Annex VI).

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Colorless, oily liquid
Odor	Characteristic
Median Particle Size	Not Applicable
Particle Size Distribution	Not Applicable
Particle Shape	Not Applicable
Surface Area	Not Applicable
Dustiness	Not Applicable
Hygroscopicity	Not Applicable
pH	Not Available
Melting Point	10.4°C (50.7°F)
Boiling Point	337°C (638.6°F)
Flash Point	Not Available
Vapor Pressure	Not Available
Specific Gravity	1.83
Solubility	Miscible with water and organic solvents
Molecular Formula	H ₂ O ₄ S
Molecular Weight	98.08 g/mol

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under recommended storage conditions.
Hazardous Reactions	None under normal processing conditions.
Conditions to Avoid	Heat, sparks, open flame, and incompatible materials.
Incompatible Materials	Strong acids, strong bases, reactive metals, water (for some concentrated forms).
Decomposition Products	May produce carbon oxides and other toxic fumes when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity: See Section 2 for GHS hazard classification.

IARC	Not listed as carcinogen.
NTP	Not listed as carcinogen.
OSHA	Not listed as carcinogen.

12. ECOLOGICAL INFORMATION

Ecotoxicity	Data not available. Avoid release to the environment.
Persistence	Not Available
Bioaccumulation	Not Available
Mobility in Soil	Not Available

13. DISPOSAL CONSIDERATIONS

Dispose of contents/container in accordance with applicable federal, state, and local regulations. Do not dispose of into drains or waterways.

14. TRANSPORT INFORMATION

US DOT	UN1830, SULFURIC ACID WITH MORE THAN 51 PERCENT ACID, 8, PG II
IMDG	UN1830, SULFURIC ACID WITH MORE THAN 51 PERCENT ACID, 8, PG II
IATA/ICAO	UN1830, SULFURIC ACID WITH MORE THAN 51 PERCENT ACID, 8, PG II
Marine Pollutant	No

15. REGULATORY INFORMATION

Regulatory listings not yet on file in this system; consult OSHA, EPA TSCA, EPCRA TRI, and California OEHHA directly.

SARA 311/312	See Section 2 for hazard classifications.
--------------	---

16. OTHER INFORMATION

Revision Date: 07/01/2026

Disclaimer: The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of publication. It relates only to the specific product identified and does not relate to its use in combination with other materials. ALLIANCE CHEMICAL MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ALLIANCE CHEMICAL DOES NOT ASSUME LIABILITY FOR LOSS, INJURY, DAMAGE, OR EXPENSE ARISING FROM THE HANDLING, STORAGE, USE, OR DISPOSAL OF THIS PRODUCT.