

Grade	Technical Grade
Concentration	31%
CAS Number	7647-01-0
Chemical Formula	HCl
Molecular Weight	36.46 g/mol
IUPAC Name	hydrogen chloride
Manufacturer	Alliance Chemical 204 South Edmond Street, Taylor, TX 76574
Emergency Phone	Chemtel 1-800-255-3924 (24/7)
Synonyms	Muriatic acid (20 °Bé); hydrogen chloride solution
Recommended Use	pH adjustment; masonry, concrete and metal cleaning; descaling; pool and water pH control; chemical processing.
Restrictions on Use	For industrial and professional use. Never mix with bleach or other oxidizers: this releases toxic chlorine gas. Always add acid to water.

2 Hazard Identification



Corrosive



Irritant /
harmful

Classification	Corrosive to metals, Category 1 Skin corrosion/irritation, Category 1 Serious eye damage/eye irritation, Category 1 Specific target organ toxicity, single exposure, Category 3 (respiratory tract irritation)
Signal Word	Danger
Hazard Statements	H290 May be corrosive to metals H314 Causes severe skin burns and eye damage H335 May cause respiratory irritation
Precautionary Statements	P234 Keep only in original packaging.

P260 Do not breathe dust, fume, gas, mist, vapors or spray.

P261 Avoid breathing dust, fume, gas, mist, vapors or spray.

P264 Wash hands and face thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves, protective clothing, and eye/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor.

P321 Specific treatment (see first-aid information on this label).

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P406 Store in a corrosion resistant container with a resistant inner liner.

P501 Dispose of contents and container in accordance with local, regional, national, and international regulations.

Classification, hazard (H) and precautionary (P) statements and pictograms per OSHA HCS 2024 (29 CFR 1910.1200, Appendices A–C), aligned with GHS Rev. 7.

3 Composition / Information on Ingredients

Component	CAS No.	Formula	Concentration
Hydrochloric Acid	7647-01-0	HCl	31-31.5% (w/w)

Component	CAS No.	Formula	Concentration
Water	7732-18-5	H ₂ O	Balance (w/w)

Concentrations are nominal; lot-specific values appear on the Certificate of Analysis. Components not contributing to classification are omitted.

4 First-Aid Measures

Eyes	Rinse with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Seek medical attention immediately.
Skin	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing. Wash with soap. Get medical attention immediately.
Inhalation	Move person to fresh air and keep comfortable for breathing. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention immediately.
Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If conscious, wash out mouth with water. Get medical attention immediately.
Most Important Symptoms and Effects	Causes burns to the skin, eyes and mucous membranes; eye contact may cause permanent damage including blindness; ingestion burns the mouth, throat and stomach. Inhalation may irritate the nose, throat and respiratory tract (coughing, sore throat).
Immediate Medical Attention and Special Treatment	Immediate medical attention is required after eye or skin contact or ingestion; tissue damage may continue after exposure ends.

5 Fire-Fighting Measures

Suitable Extinguishing Media	Dry chemical, CO ₂ , water spray. Use water spray to cool containers.
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire.
Specific Hazards Arising from the Chemical	Fire may release corrosive and toxic gases. Containers may rupture when heated.

Protective Equipment	Wear self-contained breathing apparatus and full protective clothing.
Hazardous Combustion Products	Hydrogen chloride gas. Contact with metals releases hydrogen; contact with oxidizers releases chlorine.

6 Accidental Release Measures

Personal Precautions	Use PPE as described in Section 8. Ensure adequate ventilation. Evacuate personnel to safe areas.
Hazard-Specific Precautions	Do not touch spilled material without protective equipment. Neutralize residue only with a method suitable for the material, then collect.
Environmental Precautions	Prevent leakage or spillage from entering drains, sewers, or waterways.
Containment & Cleanup	Absorb with inert material. Collect in appropriate waste container. Dispose per applicable regulations.

7 Handling and Storage

Safe Handling	Use with adequate ventilation. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. Keep container closed when not in use.
Safe Storage	Store in a cool, dry, well-ventilated area. Use corrosion-resistant containers. Keep away from incompatible materials (see Section 10). Keep containers tightly closed.
Specific Storage Precautions	Store in a cool, well-ventilated area out of direct sunlight in closed, vented, corrosion-resistant containers (polyethylene or glass). Keep away from bleach and other oxidizers, bases and metals.

8 Exposure Controls / Personal Protection

Occupational Exposure Limits

Limit	Value
OSHA PEL	5 ppm ceiling
ACGIH TLV	2 ppm Ceiling
NIOSH REL	5 ppm ceiling
IDLH	50 ppm

Engineering Controls	Use adequate ventilation. Provide eyewash stations and quick-drench showers accessible to areas of use.
Eye/Face Protection	Wear chemical safety goggles or face shield.
Skin Protection	Wear chemical-resistant gloves and protective clothing.
Respiratory Protection	For mist or aerosol applications (e.g., spray, atomization, pressure washing), use a NIOSH-approved half-face air-purifying respirator with combination acid gas / P100 cartridges. For dust exposure, an N95 or P100 particulate filter is acceptable. Ensure local exhaust ventilation.

Exposure limits sourced from NIOSH Pocket Guide and OSHA 29 CFR 1910.1000. Hazard classification from ECHA Classification and Labelling Inventory (CLP Annex VI).

9 Physical & Chemical Properties

Appearance	Clear, colorless corrosive liquid
Odor	Pungent, acrid odor
Odor Threshold	4.7 ppm at 25 °C
pH	< 1
Melting Point / Freezing Point	-46.9 °C (-52.5 °F), freezing point
Boiling Point	85 °C (185 °F)
Flash Point	Not applicable
Evaporation Rate	< 1 (n-butyl acetate = 1)

Flammability (solid, gas)	No data available
Upper/Lower Flammability or Explosive Limits	No data available
Vapor Pressure	35–40 mmHg at 30 °C (86 °F)
Vapor Density	1.27 (air = 1)
Relative Density	1.155–1.162 (water = 1)
Solubility	Completely miscible with water
Partition Coefficient (n-octanol/water)	No data available
Auto-ignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	1.55 mPa·s at 30 °C
Particle Characteristics	Not applicable
Form	Liquid
Color	0 - 20
Density	1.155 (31% w/w aqueous solution, 20 °C)

Values shown reflect product-specific canonical data. Lot-specific ranges may vary; see the Certificate of Analysis for the shipped lot.

10 Stability and Reactivity

Reactivity	May be corrosive to metals.
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing conditions.
Conditions to Avoid	Heat, direct sunlight and ultraviolet light, and contact with incompatible materials.
Incompatible Materials	Bases, hydroxides, carbonates, amines and ammonia; oxidizers, including sodium hypochlorite (bleach) (release chlorine gas); most metals and metal oxides, including iron, copper, nickel and aluminum (release flammable hydrogen); cyanides, sulfides and sulfites (release toxic gases); formaldehyde.
Hazardous Decomposition Products	Hydrogen chloride gas. Contact with metals releases hydrogen; contact with oxidizers releases chlorine.

11 Toxicological Information

See below for route-specific acute toxicity data.

Likely Routes of Exposure	Inhalation, skin contact, eye contact, ingestion.
Symptoms	Causes burns to the skin, eyes and mucous membranes; eye contact may cause permanent damage including blindness; ingestion burns the mouth, throat and stomach. Inhalation may irritate the nose, throat and respiratory tract (coughing, sore throat).
Delayed and Chronic Effects	No delayed or chronic effects identified beyond the classification in Section 2.

Route	Value
LD50 Oral (rat)	700 mg/kg
LC50 Inhalation (rat, 4h)	3124 ppm

Carcinogen Classification

Agency	Status
--------	--------

IARC	Group 3 — not classifiable as to its carcinogenicity to humans (Hydrochloric acid; IARC agent: Hydrochloric acid, Vol. 54).
------	---

NTP	Not listed as carcinogen.
-----	---------------------------

OSHA	Not listed as carcinogen.
------	---------------------------

12 Ecological Information

Ecotoxicity	Daphnia EC50: ~ 100 mg/L (48 h, Marine crustaceans — pH-driven; shrimp 100–330 ppm; Carcinus maenas 240, Crangon crangon 260 mg/L)
Persistence & Degradability	Not applicable (inorganic; dissociates to chloride and hydronium ions)
Bioaccumulative Potential	log Kow 0.25, BCF Does not bioaccumulate
Mobility in Soil	Not Available

13 Disposal Considerations

Dispose of contents/container in accordance with applicable federal, state, and local regulations. Do not dispose of into drains or waterways.

If discarded, this material may be a corrosive hazardous waste (EPA RCRA D002, 40 CFR 261.22): aqueous with $\text{pH} \leq 2$ or ≥ 12.5 , or a liquid that corrodes steel at more than 6.35 mm per year. The waste generator must make the final hazardous-waste determination.

14 Transport Information

US DOT (49 CFR)

UN Number

UN1789

Proper Shipping Name

Hydrochloric acid

Hazard Class	8
Packing Group	II

IMDG / IATA classifications may differ from US DOT. Verify current regulations before international shipment.

15 Regulatory Information

Inventory / List	Status
California Proposition 65	Not listed
US EPA TSCA Active Inventory	Listed
EPCRA SARA 313 (TRI)	Listed
CERCLA Reportable Quantity (RQ)	Hydrochloric acid / hydrogen chloride (CAS 7647-01-0) 5,000 lb (2,270 kg), about 15,900 lb of 31.45% solution. EPCRA Section 313 (TRI): reportable only in aerosol forms (mists, vapors, gas, fog).

SARA 311/312 hazard categories correspond to the GHS classification in Section 2. Data retrieved as of: California Proposition 65 2026-10-02; US EPA TSCA Active Inventory 2026-10-02; EPCRA SARA 313 (TRI) 2026-10-02.

16 Other Information

Revision Date	2026-10-07
Format	16-section format per OSHA HCS 2024 (29 CFR 1910.1200, Appendix D), aligned with GHS Rev. 7.

Disclaimer: The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of publication. It relates only to the specific product identified and does not relate to its use in combination with other materials. ALLIANCE CHEMICAL MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ALLIANCE CHEMICAL DOES NOT ASSUME LIABILITY FOR LOSS, INJURY, DAMAGE, OR EXPENSE ARISING FROM THE HANDLING, STORAGE, USE, OR DISPOSAL OF THIS PRODUCT.

Alliance Chemical, 204 South Edmond Street, Taylor, TX 76574. Published by Alliance Chemical from first-party canonical product data. Our authority is hands-on chemical handling, DOT/GHS-compliant shipping, and government-registered distribution — not bench chemistry. This Safety Data Sheet is prepared from the regulatory data on file for this product.