


Hydrogen Peroxide

12% ACS Grade

ACS Grade · 12%

Standard	Reviewed	Emergency
OSHA HCS 2024 · GHS Rev. 7	2026-07-17	Chemtel 1-800-255-3924 (24/7)

CAS number 7722-84-1	UN number UN2984	Hazard class · packing group 5.1 · PG III
 Structure · PubChem	Grade ACS Grade · 12%	Signal word Danger
Hazards Oxidizer Corrosive Irritant / harmful H272 H302 H315 H318		
Proper shipping name Hydrogen peroxide, aqueous solutions with not less than 8 percent but less than 20 percent hydrogen peroxide (stabilized as necessary)		
Hydrogen Peroxide 12% ACS Grade is regulated for transport under DOT 49 CFR — see the shipping classification below.		

1 Identification

Product Identifier	Hydrogen Peroxide 12% ACS Grade
Grade	ACS Grade
Concentration	12%
CAS Number	7722-84-1
Chemical Formula	H2O2
Manufacturer	Alliance Chemical 204 South Edmond Street, Taylor, TX 76574
Emergency Phone	Chemtel 1-800-255-3924 (24/7)
Synonyms	Hydrogen dioxide; peroxide solution; H2O2
Recommended Use	Laboratory and analytical reagent (ACS grade); oxidizing and bleaching agent; cleaning.
Restrictions on Use	Oxidizer: keep away from combustibles, organic materials and metals. Never return unused peroxide to the original container (contamination causes decomposition and pressure). Not for medical, cosmetic or food use.

2 Hazard Identification



Oxidizer



Corrosive



Irritant /
harmful

Classification	Oxidizing liquids, Category 3 Acute toxicity (oral), Category 4 Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 1
Signal Word	Danger
Hazard Statements	H272 May intensify fire; oxidizer H302 Harmful if swallowed

Precautionary Statements

H315 Causes skin irritation

H318 Causes serious eye damage

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P220 Keep away from clothing and other combustible materials.

P264 Wash hands and face thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves, protective clothing, and eye/face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor.

P321 Specific treatment (see first-aid information on this label).

P330 Rinse mouth.

P332+P313 If skin irritation occurs: Get medical advice or attention.

P362 Take off contaminated clothing and wash before reuse.

P370+P378 In case of fire: Use water spray or fog in large quantities to extinguish.

P501 Dispose of contents and container in accordance with local, regional, national, and international regulations.

Classification, hazard (H) and precautionary (P) statements and pictograms per OSHA HCS 2024 (29 CFR 1910.1200, Appendices A–C), aligned with GHS Rev. 7.

3 Composition / Information on Ingredients

Component	CAS No.	Formula	Concentration
Hydrogen peroxide	7722-84-1	H ₂ O ₂	11.5-12.5% (w/w)

Component	CAS No.	Formula	Concentration
Water	7732-18-5	H ₂ O	Balance (w/w)

Concentrations are nominal; lot-specific values appear on the Certificate of Analysis. Components not contributing to classification are omitted.

4 First-Aid Measures

Eyes	Rinse with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Seek medical attention immediately.
Skin	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing. Wash with soap. Get medical attention immediately.
Inhalation	Move person to fresh air and keep comfortable for breathing. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention immediately.
Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If conscious, wash out mouth with water. Get medical attention immediately.
Most Important Symptoms and Effects	Eye contact causes serious eye damage: pain, redness and corneal injury, which may be permanent. Skin contact causes irritation: redness, itching and pain; repeated contact may dry and crack the skin. Ingestion may cause nausea, vomiting and abdominal pain; larger amounts may cause systemic poisoning.
Immediate Medical Attention and Special Treatment	Immediate medical attention is required after eye contact; eye damage may continue after exposure ends.

5 Fire-Fighting Measures

Suitable Extinguishing Media	Water spray or fog in large quantities. Do NOT use dry chemical or CO ₂ .
Unsuitable Extinguishing Media	Do not use dry chemical, CO ₂ , or foam.
Specific Hazards Arising from the Chemical	Oxidizer: may intensify fire and ignite combustible materials (wood, paper, oil). Containers may rupture when heated.

Protective Equipment	Wear self-contained breathing apparatus and full protective clothing.
Hazardous Combustion Products	Oxygen (supports combustion) and heat; pressure can build in closed or unvented containers.

6 Accidental Release Measures

Personal Precautions	Use PPE as described in Section 8. Ensure adequate ventilation. Evacuate personnel to safe areas.
Hazard-Specific Precautions	Keep away from combustible materials. Do not absorb with sawdust, paper or other combustible absorbents.
Environmental Precautions	Prevent leakage or spillage from entering drains, sewers, or waterways.
Containment & Cleanup	Absorb with inert material. Collect in appropriate waste container. Dispose per applicable regulations.

7 Handling and Storage

Safe Handling	Use with adequate ventilation. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. Keep container closed when not in use.
Safe Storage	Store in a cool, dry, well-ventilated area away from combustible materials and heat. Keep away from incompatible materials (see Section 10). Keep containers tightly closed.
Specific Storage Precautions	Store in the original vented container, cool and out of sunlight, away from combustibles, organics and metals. Never return material to the container. Use only clean, compatible equipment (high-purity aluminum, stainless steel, HDPE, glass).

8 Exposure Controls / Personal Protection

Occupational Exposure Limits

Limit	Value
OSHA PEL	1 ppm TWA
ACGIH TLV	1 ppm TWA (A3: confirmed animal carcinogen with unknown relevance to humans)
NIOSH REL	1 ppm TWA
IDLH	75 ppm
Other Limits	NIOSH IDLH 75 ppm

Engineering Controls	Use adequate ventilation. Provide eyewash stations and quick-drench showers accessible to areas of use.
Eye/Face Protection	Wear chemical safety goggles or face shield.
Skin Protection	Wear chemical-resistant gloves and protective clothing.
Respiratory Protection	Use NIOSH-approved respirator if exposure limits are exceeded or irritation occurs.

Exposure limits sourced from NIOSH Pocket Guide and OSHA 29 CFR 1910.1000. Hazard classification from ECHA Classification and Labelling Inventory (CLP Annex VI).

9 Physical & Chemical Properties

Appearance	Clear, colorless liquid
Odor	Odorless to faintly sharp
Odor Threshold	No data available
pH	2–4 at 20 °C
Melting Point / Freezing Point	Approx. –7.5 °C (19 °F), freezing point (calculated for this solution)
Boiling Point	Approx. 102 °C (216 °F) (calculated for this solution)
Flash Point	Not applicable

Evaporation Rate	No data available
Flammability (solid, gas)	No data available
Upper/Lower Flammability or Explosive Limits	No data available
Vapor Pressure	Approx. 16–17 mmHg at 20 °C (mostly water vapor)
Vapor Density	No data available
Relative Density	1.036–1.046 at 20 °C (water = 1)
Solubility	Completely miscible with water
Partition Coefficient (n-octanol/water)	No data available
Auto-ignition Temperature	No data available
Decomposition Temperature	No fixed temperature; decomposes slowly at room temperature, faster with heat, light, metals and contamination
Viscosity	No data available
Particle Characteristics	Not applicable
Form	Liquid
Density	1.04 (12% w/w aqueous solution, 20 °C)

Values shown reflect product-specific canonical data. Lot-specific ranges may vary; see the Certificate of Analysis for the shipped lot.

10 Stability and Reactivity

Reactivity	Oxidizer: reacts with combustible and reducing materials, which may cause fire.
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing conditions.
Conditions to Avoid	Heat, sunlight and UV light, contamination of any kind, shock and friction. Containers must stay vented.
Incompatible Materials	Combustible and organic materials (paper, wood, oils, solvents such as acetone and alcohols); reducing agents; metals and metal salts, especially iron, copper, brass and lead (catalyze violent decomposition); cyanides and sulfides; strong acids and bases; ammonia.
Hazardous Decomposition Products	Oxygen (supports combustion) and heat; pressure can build in closed or unvented containers.

11 Toxicological Information

See below for route-specific acute toxicity data.

Likely Routes of Exposure	Inhalation, skin contact, eye contact, ingestion.
Symptoms	Eye contact causes serious eye damage: pain, redness and corneal injury, which may be permanent. Skin contact causes irritation: redness, itching and pain; repeated contact may dry and crack the skin. Ingestion may cause nausea, vomiting and abdominal pain; larger amounts may cause systemic poisoning.
Delayed and Chronic Effects	Repeated skin contact may cause dermatitis (dry, cracked skin).
Route	Value
LD50 Oral (rat)	1,518 mg/kg (8–20% aqueous solution)

Route	Value
LD50 Dermal (rabbit)	2,000–9,200 mg/kg (hydrogen peroxide)

LC50 Inhalation (rat, 4h)	2 mg/L (2,000 mg/m ³) (hydrogen peroxide)
---------------------------	---

Carcinogen Classification

Agency	Status
--------	--------

IARC	Group 3 — not classifiable as to its carcinogenicity to humans (Hydrogen peroxide; IARC agent: Hydrogen peroxide, Vol. 36, Sup 7, 71).
------	--

NTP	Not listed as carcinogen.
-----	---------------------------

OSHA	Not listed as carcinogen.
------	---------------------------

12 Ecological Information

Ecotoxicity	Data not available. Avoid release to the environment.
Persistence & Degradability	Not Available
Bioaccumulative Potential	Not Available
Mobility in Soil	Not Available

13 Disposal Considerations

Dispose of contents/container in accordance with applicable federal, state, and local regulations. Do not dispose of into drains or waterways.

EPA RCRA Waste Codes	D001 (ignitable: DOT oxidizer, 40 CFR 261.21(a)(4)). Not a P- or U-listed waste.
----------------------	--

If discarded, this material may be an ignitable hazardous waste as an oxidizer (EPA RCRA D001, 40 CFR 261.21(a)(4)). The waste generator must make the final hazardous-waste determination.

14 Transport Information

US DOT (49 CFR)

UN Number	UN2984
Proper Shipping Name	Hydrogen peroxide, aqueous solutions with not less than 8 percent but less than 20 percent hydrogen peroxide (stabilized as necessary)
Hazard Class	5.1
Packing Group	III

IMDG / IATA classifications may differ from US DOT. Verify current regulations before international shipment.

15 Regulatory Information

Inventory / List	Status
California Proposition 65	Not listed
US EPA TSCA Active Inventory	Listed
EPCRA SARA 313 (TRI)	Not listed
CERCLA Reportable Quantity (RQ)	Not a CERCLA hazardous substance (no RQ). EPCRA section 302 applies to hydrogen peroxide only above 52% concentration; not an EPCRA section 313 chemical.

SARA 311/312 hazard categories correspond to the GHS classification in Section 2. Data retrieved as of: California Proposition 65 2026-10-02; US EPA TSCA Active Inventory 2026-10-02; EPCRA SARA 313 (TRI) 2026-10-02.

16 Other Information

Revision Date	2026-10-08
Format	16-section format per OSHA HCS 2024 (29 CFR 1910.1200, Appendix D), aligned with GHS Rev. 7.

Disclaimer: The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of publication. It relates only to the specific product identified and does not relate to its use in combination with other materials. ALLIANCE CHEMICAL MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ALLIANCE CHEMICAL DOES NOT ASSUME LIABILITY FOR LOSS, INJURY, DAMAGE, OR EXPENSE ARISING FROM THE HANDLING, STORAGE, USE, OR DISPOSAL OF THIS PRODUCT.

Alliance Chemical, 204 South Edmond Street, Taylor, TX 76574. Published by Alliance Chemical from first-party canonical product data. Our authority is hands-on chemical handling, DOT/GHS-compliant shipping, and government-registered distribution — not bench chemistry. This Safety Data Sheet is prepared from the regulatory data on file for this product.