

PRODUCT IDENTIFICATION



Product Name: Hydrogen Peroxide 25% Technical Grade

CAS Number: 7722-84-1

Molecular Formula: H_2O_2

Molecular Weight: 34.015 g/mol

Grade: Technical Grade

Purity / Concentration: 25%

Synonyms: H_2O_2 , Peroxide Solution

PRODUCT OVERVIEW

Hydrogen Peroxide 25% Technical Grade is a powerful oxidizing agent supplied as a clear, colorless liquid. With a precise assay of 25.29% and strictly controlled impurity levels, such as iron at 0.0005 ppm, this solution is engineered for consistent performance in industrial chemical processes.

Grade Significance: Technical Grade indicates that this product is manufactured for industrial and commercial applications where chemical consistency is essential, though it is not intended for pharmaceutical or food-grade use.

CERTIFICATE OF ANALYSIS — TYPICAL VALUES

PARAMETER	UNIT	TYPICAL	MIN	MAX	TEST METHOD
Assay (Permanganate)	%	25.29	24	26	Permanganate Titration
Residue On Evaporation	ppm	14	0	50	Evaporation
Aluminum Al	ppm	0.0125	0	0.0417	ICP-MS
Arsenic Antimony As As	ppm	0.0025	0	0.0083	ICP-MS
Calcium Ca	ppm	0.25	0	0.8333	ICP-MS
Iron	ppm	0.0005	0	0.0010	ICP
Lead Pb	ppm	0.0125	0	0.0417	ICP-MS
Magnesium Mg	ppm	0.025	0	0.0833	ICP-MS
Manganese	ppm	0.0030	0	0.0080	ICP
Nickel Ni	ppm	0.0125	0	0.0417	ICP-MS
Potassium K	ppm	0.25	0	0.8333	ICP-MS
Sodium Na	ppm	0.25	0	0.8333	ICP-MS
Zinc Zn	ppm	0.025	0	0.0833	ICP-MS
Chloride Cl	ppm	13	0	42	ICP
Phosphate Po_4	%	0.0125	0	0.0417	ICP
Sulfate So_4	%	0.0075	0	0.025	ICP
Boron B	ppm	0.025	0	0.0833	ICP-MS
Silicon Si	ppm	0.025	0	0.0833	ICP-MS
Tin Sn	ppm	0.025	0	0.0833	ICP-MS

ND = Not Detected. Values are typical and may vary by lot.

PHYSICAL & CHEMICAL PROPERTIES

Appearance	Clear, colorless liquid	Odor	Slightly sharp, acrid odor
Form	Liquid	Boiling Point	Not characterized for the 25% solution
Melting / Freezing Point	Not characterized for the 25% solution	Specific Gravity	1.09
Solubility	Soluble in water	Molecular Formula	H ₂ O ₂
Molecular Weight	34.015 g/mol	Vapor Pressure (20°C)	0.5 mmHg
Viscosity (25°C)	1.2 cP	Refractive Index (20°C)	1.406
Density (25°C)	1.11 g/mL		

APPLICATIONS

- 1. Textile Manufacturing** — Utilized as a high-efficiency bleaching agent to whiten fibers and prepare textiles for dyeing processes.
- 2. Paper and Pulp** — Acts as a brightening agent in the paper production cycle, ensuring high-quality aesthetics for finished paper goods.
- 3. Water Treatment** — Applied to effectively oxidize and remove organic contaminants and pollutants, improving overall water quality.
- 4. Chemical Synthesis** — Serves as a versatile reagent in various organic and inorganic synthesis pathways due to its strong oxidizing properties.
- 5. Analytical Laboratories** — Used as a standardized reagent for various analytical testing procedures requiring a known concentration of peroxide.

STORAGE & HANDLING

Proper storage is critical because Hydrogen Peroxide 25% is a strong oxidizer that can intensify fires if exposed to incompatible materials. It must be kept in a cool, well-ventilated area away from direct sunlight and contaminants to maintain stability and prevent the risk of severe skin or eye damage.

- Store in a cool, dry place away from direct sunlight.
- Use containers made of HDPE or glass to prevent reactions.
- Avoid contact with organic materials and reducing agents.
- Ensure proper ventilation when handling to minimize inhalation risks.
- Wear appropriate personal protective equipment (PPE) including gloves and goggles.

AVAILABLE PACKAGING

- 1 Quart
- 1 Gallon
- 5 Gallon
- 15 Gallon
- 55 Gallon
- 275 Gallon
- 330 Gallon

SAFETY SUMMARY (CROSS-REFERENCE TO SDS)

Signal Word: **Danger**



Hazard Statements:

- H272: May intensify fire; oxidiser
- H302: Harmful if swallowed
- H314: Causes severe skin burns and eye damage
- H332: Harmful if inhaled
- H335: May cause respiratory irritation

Emergency Contact: CHEMTEL - 800-255-3924 (24 Hours/Day, 7 Days/Week)

For complete safety information, refer to the Safety Data Sheet (SDS) for this product.

Alliance Chemical | 204 South Edmond St, Taylor, Texas 76574 | 512-365-6838 | www.alliancechemical.com

Disclaimer: The information contained herein is believed to be accurate and represents the best information currently available to us. However, Alliance Chemical makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.