

### PRODUCT IDENTIFICATION



**Product Name:** n-Heptane 99% ACS

**CAS Number:** 142-82-5

**Molecular Formula:** C<sub>7</sub>H<sub>16</sub>

**Molecular Weight:** 100.20 g/mol

**Grade:** ACS Grade

**Purity / Concentration:** 99%

**Synonyms:** Heptane, n-Heptane

### PRODUCT OVERVIEW

n-Heptane 99% ACS Grade is a high-purity solvent essential for rigorous laboratory and industrial applications. With a certified assay of 99.85% and exceptionally low impurity levels, including a water content of only 0.0020%, it provides the consistency required for precise analytical procedures.

**Grade Significance:** ACS Grade ensures the product meets the stringent quality standards set by the American Chemical Society, guaranteeing the purity and low impurity limits necessary for reliable laboratory results.

### CERTIFICATE OF ANALYSIS — TYPICAL VALUES

PARAMETER	UNIT	TYPICAL	MIN	MAX	TEST METHOD
Assay (wt%)	%	99.85	99	—	GC-FID
Color (APHA)	APHA	5	—	10	ASTM D1209
Specific Gravity (20°C)	g/mL	0.684	0.683	0.684	ASTM D4052
Residue After Ignition	%	0.0005	—	0.0010	Gravimetric
Water Content	%	0.0020	—	0.01	Karl Fischer
Heavy Metals (as Pb)	ppm	0.1	—	1	ICP-OES
Iron (Fe)	ppm	0.05	—	0.1	ICP-OES
Chloride (Cl <sup>-</sup> )	ppm	0.1	—	1	Ion Chromatography
Sulfate (SO <sub>4</sub> <sup>2-</sup> )	ppm	0.2	—	1	Ion Chromatography
Sulfur Compounds As S	ppm	1	—	5	ASTM D3120

ND = Not Detected. Values are typical and may vary by lot.

### PHYSICAL & CHEMICAL PROPERTIES

<b>Appearance</b>	Clear, colorless liquid	<b>Form</b>	Liquid
<b>Boiling Point</b>	98°C (208°F)	<b>Melting / Freezing Point</b>	-91°C
<b>Flash Point</b>	4°C (39°F)	<b>Specific Gravity</b>	0.684
<b>Solubility</b>	Insoluble in water, soluble in organic solvents	<b>Molecular Formula</b>	C <sub>7</sub> H <sub>16</sub>
<b>Molecular Weight</b>	100.20 g/mol		

## APPLICATIONS

1. **Pharmaceuticals** — Used as a high-purity solvent for the extraction and purification of active pharmaceutical ingredients. Its low residue profile ensures minimal contamination in final drug formulations.
2. **Analytical Chemistry** — Serves as a reliable solvent for chromatography and spectroscopy applications. The strict control over sulfur and metallic impurities prevents interference during sensitive testing.
3. **Petrochemicals** — Employed as a reference standard for determining the octane rating of fuels. Its precise chemical composition ensures accurate performance benchmarking in engine testing.
4. **Manufacturing** — Utilized as a high-performance cleaning agent and degreaser for precision components. Its rapid evaporation rate leaves behind virtually no residue after application.

## STORAGE & HANDLING

Due to its low flash point of 4°C, n-Heptane must be stored in a cool, well-ventilated area away from all ignition sources to prevent fire hazards. Proper containment is critical to mitigate the risks of inhalation and aspiration, which can be fatal if the liquid enters the airways.

- Store in a cool, well-ventilated area away from heat sources.
- Use containers made of HDPE or glass to prevent chemical reactions.
- Avoid contact with strong oxidizing agents and acids.
- Keep away from light to prevent degradation.
- Use appropriate personal protective equipment (PPE) including gloves and goggles.

## AVAILABLE PACKAGING

- 1 Pint
- 1 Liter
- 5 Gallon
- 55 Gallon

## SAFETY SUMMARY (CROSS-REFERENCE TO SDS)

Signal Word: **Danger**



### Hazard Statements:

- H225: Highly Flammable liquid and vapor [Danger Flammable liquids]
- H304: May be fatal if swallowed and enters airways [Danger Aspiration hazard]
- H315: Causes skin irritation [Warning Skin corrosion/irritation]
- H336: May cause drowsiness or dizziness [Warning Specific target organ toxicity, single exposure; Narcotic effects]
- H400: Very toxic to aquatic life [Warning Hazardous to the aquatic environment, acute hazard]
- H410: Very toxic to aquatic life with long lasting effects [Warning Hazardous to the aquatic environment, long-term hazard]

**Emergency Contact:** CHEMTEL - 800-255-3924 (24 Hours/Day, 7 Days/Week)

*For complete safety information, refer to the Safety Data Sheet (SDS) for this product.*

Alliance Chemical | 204 South Edmond St, Taylor, Texas 76574 | 512-365-6838 | [www.alliancechemical.com](http://www.alliancechemical.com)

**Disclaimer:** The information contained herein is believed to be accurate and represents the best information currently available to us. However, Alliance Chemical makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.