

PRODUCT IDENTIFICATION



Product Name: Sulfuric Acid 70%

CAS Number: 7664-93-9

Molecular Formula: $\text{H}_2\text{O}_4\text{S}$

Molecular Weight: 98.08 g/mol

Grade: Technical

Purity / Concentration: 70%

Synonyms: Sulfuric Acid Solution, Oil of Vitriol

PRODUCT OVERVIEW

Alliance Chemical offers high-quality Technical grade Sulfuric Acid 70%, a clear, viscous liquid essential for industrial chemical processes. With a precise assay of 70.3% and low impurity levels, such as 1 ppm of Iron, this product provides the consistency required for reliable performance in demanding applications.

Grade Significance: Technical grade indicates that this product is manufactured for industrial use where cost-effective performance and consistent chemical composition are prioritized over laboratory-grade purity.

CERTIFICATE OF ANALYSIS — TYPICAL VALUES

PARAMETER	UNIT	TYPICAL	MIN	MAX	TEST METHOD
Assay (Titration)	%	70	69	71	Titration
Color (APHA/Hazen)	APHA	5	0	10	Spectrophotometry
Specific Gravity (20°C)	g/mL	1.6247	1.606	1.7059	Hydrometer @ 25°C
Non-Volatile Residue	%	0.0030	—	0.01	Residue on Ignition
Arsenic Antimony As As	ppm	0.0022	—	0.0073	ICP-MS
Heavy Metals As Pb	ppm	0.219	0	0.73	ICP-MS (as Pb)
Iron (Fe)	ppm	0.045	0	0.15	ICP-MS
Chloride Cl	ppm	0.045	0	0.15	ICP
Nitrate No3	ppm	0.108	0	0.36	ICP
Mercury Hg	ppm	1.095	—	3.65	ICP-MS
Sulfite So3	ppm	5	0	7.3	ICP
Turbidity	NTU	0.3	0	1	EPA 180.1

ND = Not Detected. Values are typical and may vary by lot.

PHYSICAL & CHEMICAL PROPERTIES

Appearance	Clear viscous liquid	Odor	Odorless
Form	Liquid	Boiling Point	Not characterized for the 70% solution
Melting / Freezing Point	Not characterized for the 70% solution	Flash Point	Not applicable
Specific Gravity	1.61	Solubility	Complete water miscibility, strong acid interaction
Molecular Formula	H ₂ O ₄ S	Molecular Weight	98.08 g/mol
Vapor Pressure (20°C)	0.3 mmHg	Viscosity (25°C)	20.1 cP
Refractive Index (20°C)	1.405	Density (25°C)	1.184 g/mL

APPLICATIONS

- 1. Energy Storage** — This sulfuric acid acts as a primary electrolyte in lead-acid batteries, facilitating the chemical reactions necessary for power storage.
- 2. Chemical Manufacturing** — It serves as a critical reagent in the synthesis of various industrial chemicals, including the production of fertilizers and specialized explosives.
- 3. Water Treatment** — Used extensively for pH adjustment, this acid helps neutralize alkaline wastewater streams to meet environmental compliance standards.
- 4. Organic Synthesis** — It functions as a powerful catalyst in organic reactions, significantly increasing reaction rates and improving overall yields.

STORAGE & HANDLING

Proper storage is vital because Sulfuric Acid 70% is highly corrosive and causes severe skin burns and eye damage. It must be stored in specialized, compatible containers in a cool, ventilated area to prevent hazardous reactions and ensure the integrity of the chemical remains stable.

- Store in a cool, dry, well-ventilated area away from incompatible materials.
- Use corrosion-resistant containers (e.g., HDPE, glass) for storage.
- Avoid contact with strong bases, organic materials, and reducing agents.
- Ensure proper personal protective equipment (PPE) is worn, including gloves and goggles.
- Use in a fume hood or well-ventilated area to minimize inhalation risks.

AVAILABLE PACKAGING

- 1 Quart
- 1 Gallon
- 5 Gallon
- 15 Gallon
- 55 Gallon
- 275 Gallon
- 330 Gallon

SAFETY SUMMARY (CROSS-REFERENCE TO SDS)

Signal Word: Danger



Hazard Statements:

- H314: Causes severe skin burns and eye damage [Danger Skin corrosion/irritation]

Emergency Contact: CHEMTEL - 800-255-3924 (24 Hours/Day, 7 Days/Week)

For complete safety information, refer to the Safety Data Sheet (SDS) for this product.

Disclaimer: The information contained herein is believed to be accurate and represents the best information currently available to us. However, Alliance Chemical makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.